

Travelling Merchant: \_\_\_\_\_

# DATASHEET

Standard: DP9C40960001

Plot			The Label
Drew	Audited	Approved	Stamp, please! Thanks!
Date: 2018.12.12			

## Guangdong Dapu Telecom Technology Co.,Ltd

Bldg13-16,.N.Ind.Zone,SSL Industry Park, Dongguan City, Guangdong Province, China

TEL: 0086-0769-88010888 FAX: 0086-0769-81800098




## 1. Electrical Parameters


MODEL: DP9C40960001							
No.	Parameters	SYM.	Electrical Spec.				Notes
			Min.	Typ.	Max.	Units	
1	Nominal Frequency	FL	4.096			MHz	
2	Oscillation Mode	-	Fundamental/AT			-	
3	Load Capacitance	CL	20			pF	
4	Frequency Tolerance	-	-30	-	+30	$\times 10^{-6}$	
5	Frequency Stability	-	-30	-	+30	$\times 10^{-6}$	
6	Operating Temperature Range	-	-40	~	+85	°C	
7	Storage Temperature	-	-55	~	+125	°C	
8	Aging	-	-3	~	+3	$\times 10^{-6}$ /Year	@25°C
9	Drive Level	DL	-	100	-	uW	
10	Equivalent Series Resistance	ESR	-	-	120	$\Omega$	
11	Parallel capacitance(Co)	C0	-	-	7	pF	
12	Insulation Resistance		500			M $\Omega$	at DC 100V



## 2. Mechanical Structure (mm)



## 3. Wave Soldering Curve (RoHS)



## 4.Package

