




RoHS COMPLIANT

REVISIONS				
REV.	ECN NO.	DESCRIPTION	DATE	REVISOR
A	-	Producing release	2022/4/1	ZC.Wu
B	0605	表面粗糙度由镜面 (Ra0.1μm) 改为非镜面 (Ra0.4μm)	2022/10/31	ZC.Wu



SURFACE FINISH: Ra0.4

NOTES:

- FERRITE : YX184/18G32
 - 4 piMs: $1850 \pm 5\%$
 - DELTA H oe @ -3dB: ≤ 10
 - DIELECTRIC CONSTANT: $14.6 \pm 5\%$
 - CURIE TEMP: 260°C (NOMINAL VALUE)
- DIELECTRIC RING: MCT-45
 - DIELECTRIC CONSTANT: $45.0 \pm 5\%$
 - LOSS TANGENT: $\leq .0004$
- BOND MATERIALS TOGETHER WITH LOW LOSS EPOXY (20% VOIDS ARE PERMISSABLE)
- SURFACE FINISH: Ra0.4 MICRONS
- ALL THE DIMENSION MUST BE INSPECTED BY IQC

PART NAME: 铁氧体	Designed:	ZC.Wu	
	Checked:		
DRAWING NO. : FDF-00283	Approval:		TOLERANCES ON
	The first angle projection:		
DESCRIPTION: Ferrite Disc	Sheet 1 of 1		DECIMALS
	Scale:	Unit:	ANGLES
	1:1	mm	$\pm 0.5^\circ$
			. ±0.1 .x ±0.1 .xx ±0.05 .xxx ±0.02