

Travelling Merchant: _____

DATASHEET

Standard: DP7V2500005

Plot			The Label
Drew	Audited	Approved	Stamp, please! Thanks!
Date: 2019.07.18			

Guangdong Dapu Telecom Technology Co.,Ltd

Bldg13,.N.Ind.Zone,SSL Industry Park, Dongguan City, Guangdong Province, China

TEL: 0086-0769-88010888 FAX: 0086-0769-81800098



1、Electrical Parameters

MODEL: DP7V2500005							
No.	Parameters	SYM.	Electrical Spec.				Notes
			Min.	Typ.	Max.	Units	
1	Nominal Frequency	FL	25.00			MHz	
2	Oscillation Mode	-	Fundamental				
3	Load Capacitance	CL	20			pF	
4	Frequency Tolerance	-	-10		+10	ppm	at 25°C
5	Frequency Stability	-	-20		+20	ppm	
6	Operating Temperature Range	-	-40	~	+85	°C	
7	Aging	-	-3		+3	ppm	1st Year
8	Drive Level	DL	-	100		uW	
9	Equivalent Series Resistance	ESR	50			Ω	
10	Shunt Capacitance	C0	-	-	7	pF	
11	Insulation Resistance	-	500	-	-	MΩ	at DC 100V ±15V
12	Storage Temperature Range	-	-55	~	+125	°C	
13	Shock Resistance	Drop test of 3 times on 2mm stainless plate from 75cm height.					



2、 Mechanical Structure(mm)

