

Travelling Merchant: _____

DATASHEET

Standard: DP7W19440003

Plot			The Label
Drew	Audited	Approved	Stamp, please! Thanks!
Date: 2021.03.15			

Guangdong Dapu Telecom Technology Co.,Ltd

Building 5, No.24, Industrial Road East, Songshanhu Park, Dongguan, Guangdong, P.R. China

TEL: 0086-0769-88010888 FAX: 0086-0769-81800098



1、Electrical Parameters

MODEL: DP7W19440003							
No.	Parameters	SYM.	Electrical Spec.				Notes
			Min.	Typ.	Max.	Units	
1	Nominal Frequency	FL	19.44			MHz	
2	Frequency Stability	-	-50		+50	ppm	incl. 25°C tolerance, tolerance over operating temperature range, input voltage change, load change, 1 year aging
3	Operating Temperature	Topr	-40		+85	°C	
4	Storage Temperature	Tstg	-55	~	+125	°C	
5	Supply Voltage	VDD	3.3±10%			V	
6	Input Current	Icc	-	-	12	mA	
7	Output State Control	-	Enable				
8	Output Load: CMOS	CL	15			pF	
9	Output Voltage High	VoH	90% Vdd	-	-	V	
10	Output Voltage Low	Vol	-	-	10% Vdd	V	
11	Rise Time	Tr	-	-	5	ns	10%-90% VDD Level
12	Fall Time	Tf	-	-	5	ns	90%-10% VDD Level
13	Symmetry (Duty ratio)	TH/T	45		55	%	
14	Start-up Time	Tosc	-	-	10	ms	
15	Aging		-3		+3	ppm/yr.	1st. Year at 25°C



2、 Mechanical Structure(mm)

