

Travelling Merchant: _____

DATASHEET

Standard: DPAM98304001

Plot			The Label
Drew	Audited	Approved	Stamp, please! Thanks!
Date: 2021.07.15			

Guangdong Dapu Telecom Technology Co.,Ltd

Building 5, No.24, Industrial East Road, Songshanhu Park, Dongguan, Guangdong, P.R. China

TEL: 0086-0769-88010888 FAX: 0086-0769-81800098




1、 Electrical Parameters

MODEL: DPAM98304001							
No.	Parameters	SYM.	Electrical Spec.				Notes
			Min.	Typ.	Max.	Units	
1	Nominal Frequency	FL	9.8304			MHz	
2	Oscillation Mode	-	Fund			-	
3	Load Capacitance	CL	8			pF	
4	Frequency Tolerance	-	-20		+20	$\times 10^{-6}$	at 25°C
5	Frequency Stability	-	-30		+30	$\times 10^{-6}$	
6	Operating Temperature	-	-40	~	+85	°C	
7	Storage Temperature Range	-	-55	~	+125	°C	
8	Drive Level	DL	10		100	μ W	
9	Effective Resistance Rr	ESR	-	-	200	Ω	
10	Shunt Capacitance C0	C0			2	pF	
11	Insulation Resistance	-	500	-	-	M Ω	at DC 100V \pm 15V
12	Aging		-3		+3	$\times 10^{-6}$	1 st year, @25°C
13	Shock Resistance	Drop test of 3times on 2mm stainless plate from 75cm height.					



2、Mechanical Structure(mm)



Note: Tolerance ± 0.2 mm