Centos5.4 详细安装过程

我们要的系统只是运行 openvpn,不需要太多的东西,所有资源全部要放在 vpn 上,所以我们选择文本形式的安装。



<Tab>/<Alt-Tab> between elements | <Space> selects | <F12> next screen

Welcome to Cent	DS
	Welcome to CentOS!

选择安装过程中使用的语言

Welcome to CentOS	
	Language Selection
	What language would you like to use
	during the installation process?
	Catalan
	Chippen (Simplified)
	Chinese (Simplifieral)
	Chinese (Iraaltional)
	Croatian
	Czech
	Danish
	Dutch
	English 🛛 🖉
	OK Back
(Tab)/(Alt-Tab)	hetween elements : (Snace) selects : (F12) next screen
craby, and raby	between exementes i toptees i trar next sereen

选择键盘的模式

Welcome to CentOS		
	Keyboard Selection	
	Which model keyboard is attached to this computer?	
	Sr-CY Sv-latin1 tml-inscript tml-uni trq ua-utf uk US Back	
<tab>/<alt-tab> bet</alt-tab></tab>	ween elements <space> selects </space>	<f12> next screen</f12>
只用在新的硬盘上装时才	十会有这个提示	
Welcome to CentOS	Hawning	
	The partition table on device hda (UMware Virtual IDE Hard Drive 8189 MB) was unreadable. To create new partitions it must be initialized, causing the loss of ALL DATA on this drive. This operation will override any previous installation choices about which drives to ignore. Would you like to initialize this drive, erasing ALL DATA?	

Yes

No

<Tab>/(Alt-Tab> between elements | (Space> selects | (F12> next screen

移除所有分区并创建一个默认的







这里看具体的情况而定,在硬盘容量充足的情况下可以按默认的设置。

Welcome to CentOS

[Partiti	oning			
Device	Start	End	Size	Type	Mount Point	
VG VolGroup00			8064M	VolGroup		- • I
LV LogVo101			1088M	swap		
LV LogVo100			6976M	ext3	/	
/dev/hda						
hda1	1	13	101M	ext3	∕boot	
hda2	14	1044	8087M	physical v		
						- L
		_	-			
Nov. Edit	De	lata	RAID	02	Back	
Hew Lait	J De	iete	- NHTD	ON I	DACK	
			_			
F1-Help F2-New	F3-Ed:	it F4-	Delete	F5-Reset	F12-0K	





默认



默认



默认

The boot manager Cent as well. You need to be able to boot and w	Boot Loader Configurati COS uses can boot other tell me what partition what label you want to	ion r operating systems is you would like to use for each of them.
Default Boot label	Device	
* CentOS	∠dev/Vol	IGroup00∕LogVo100 ∎
ОК	Edit	Back

默认



看安装人员现在需不需要设置网卡参数(这里是设置的)



第一个选项是激活网卡, 第二个选项是设置网卡地址的格式。



设置静态的 IP 地址

Welcome to CentOS
Advanced Micro Devices [AMD] 79c978 [PCnet32 LANCE]
00:0C:29:72:64:F7 () Dynamic IP configuration (DHCP) (*) Manual address configuration
IP Address Prefix (Netmask) 192.168.0.11 × 255.255.255.0
Back
<tab>/<alt-tab> between elements <space> selects <f12> next screen</f12></space></alt-tab></tab>

设置网关和 DNS



本地计算机名

Welcome	to CentOS If your s assigned select ma do not, y () (*)	ystem is by DHCP, nually an our syste automat manuall OK	Hostna part of a select au ad enter a em will be ically via	me Co larg tomat host know DHCF	infigurat ically s mame for m as 'lo idc.com	tion prk where via DHCP. r your sy pocalhost. n Bac	hos Oth stem	tnames erwise, . If yo	are , ou		
(Tab)	Z <alt-tab></alt-tab>	between	elements		(Snace)	selects		<f12></f12>	next	screen	

设置系统时钟使用的时区

What time zone are you lo	on	
[*] System clock uses UTO Asia/Bishkek Asia/Brunei Asia/Choibalsan Asia/Chongqing		
Asia/Colombo	ck	

设置管理员密码



在这里我们不需要选定任何的安装包,



Welcome	to	Cent0	5								
1	-			Dep	endenc	y Check	-				1
	Ch	ecking	dependen	cies in pa	ackage	s selec	ted for	insta	llation		
					98	z					
Ľ											1
<tab></tab>	/ <a< td=""><td>lt-Tab</td><td>> between</td><td>elements</td><td>1</td><td><space></space></td><td>selects</td><td>3</td><td><f12></f12></td><td>next</td><td>screen</td></a<>	lt-Tab	> between	elements	1	<space></space>	selects	3	<f12></f12>	next	screen

保存安装日志



	Package Installation Name : Size : Summary: Install Starting Starting install process. This may take several minutes Total Comple Remaining
	8%
<tab>z<a< td=""><td>lt-Tab> between elements <space> selects <f12> next screen</f12></space></td></a<></tab>	lt-Tab> between elements <space> selects <f12> next screen</f12></space>



安装完后重启



关闭系统防火墙



进入系统,系统安装结束

CentOS release 5.4 (Final) Kernel 2.6.18-164.el5 on an i686

idc login: _